ATTACHMENT III
Exhibit 8

8-334. ASHRAE. Preparaton of Operating and Maintenance Documentation for Building Systems. Public Reveiw Draft. ASHRAE Guideline 4P. American Society of Heating, Refrigerating and Air-Conditioning Engineers, Inc. 1992.

8-335. ASHRAE. Guideline for Commissioning of HVAC Systems. ASHRAE Guideline 1-1989. American Society of Heating, Refrigerating and Air-Conditioning Engineers, Inc. 1989.

8-336. Appendix A - Specification Section 15995: Commissioning of HVAC System. Contract Specifications for Architecture Research and Demonstration Facility Phase II; Rev. 11; August 1992.

8-337. BLS. Occupational Employment Statistics Survey 1992. Bureau of Labor Statistics. March 1993.

8-338. Occupational Employment Statistics. Dictionary of Occupationals 1988-1993. May 1992.

20463955 34

Source: https://www.industrydocuments.ucsf.edu/docs/ltwl0000

2046395535

Source: https://www.industrydocuments.ucsf.edu/docs/ltwl0000

ATTACHMENT VI
Exhibit 11

11-1. Browne, C.L. The Design of Cigarettes. Hoechst Celanese Corporation. Charlotte, NC September 1990.

11-2. Advisory Committee Construction Safety and Health. Transcript. May 17, 1994.

11-3. Multiple Chemical Sensitivities at Work. The Labor Institute.

11-4. Letter from Robert R. Raber, Director, Farr Company, to Debra Janes, OSHA, ddated June 20, 1994, regarding indoor air quality. With attachments.

A. Liu, R., R.R. Raber and H.H.S. Yu. Filter Selection on an Engineering Basis. Heating/Piping/Air Conditioning, 8pp, May 1991.

B. Filtration and Indoor Air Quality: A Two-Step Design Solution.

C. ASHRAE. 6.1 Ventilation Rate Procedure. ASHRAE Standard 62-1981.

11-5. Exposure Guidelines for Residential Indoor Air Quality. A Report of the Federal-Provincial Advisory Committee on Environmental and Occupational Health. Environmental Health Directorate, Health Protection Branch. April 1987.

11-6. Dols, W. Stuart and Andrew K. Persily. Measurements of Outdoor Air Distribution in an Office Building. National Institute of Standards and Technology, Technology Administration, Department of Commerce. June 1994.

11-7. "Indoor Climate - Air Quality." Nordic Committee on Building Regulations NKB. NKB Publication No. 61E. June 1991.

11-8. "Heat Requirement in New Buildings. Calculation of Heat Requirement. Draft Documents. Nordic Committee on Building Regulations, NKB, Energy Committee. NKB Committee and Work Reports 1993:02 E.

11-9. "Programme of Work fo NKB, 1994-1996." Nordic Committee on Building Regulations, NKB. NKB Publication No. 64 E. November 1993.

11-10. Transmittal from Brian G. Shelton to Kevin Cummins, dated March 17, 1992, regarding legionella outbreak.

2046395536

Source: https://www.industrydocuments.ucsf.edu/docs/ltwl0000

ATTACHMENT VI
Exhibit 11

11-11. News Release. U.S. Department of Labor/Office of Information, Region III, Philadelphia, PA. "Safety and Health Citations Issued to Kulpsville, PA Firm." July 13, 1992.

11-12. Memorandum from George J. Tomchick, Jr., Area Director, Allentown Area Office, to Linda R. Anku, Regional Administrator, Region III, dated June 17, 1992, subject: Request for Approval to Issue Section 5(a)(1) Violation.

11-13. Letter from Jay C. Butler, MD, Epidemiology Section, Robert F. Breiman, M.D., Chief, Epidemiology Section, Barry S. Fields, Ph.D., Acting Chief, Epidemic Investigations Laboratory and Robert C. Good, Ph.D., Chief Respiratory Diseases Branch, Division of Bacterial and National Center for Infectious Diseases, Center for Disease Control, to George Rutherford, M.D., State Epidemiologist, California Department of Health Services, dated October 16, 1991, regarding investigation of outbreak of Legionnaire's disease among employees at the Social Security Administration Western Program Service Center in Richmond, CA.

11-14. Letter from Xilla T. Ursery, MD, EIS Officer, Jay C. Butler, MD, Preventive Medicine Resident, Robert F. Breiman, MD, Chief, Epidemiology Section, and Robert C. Good, PhD, Chief, Respiratory Diseases Branch, Division of Bacterial and Mycotic Diseases, National Center for Infectious Diseases, Center for Disease Control to Craig Nichols, MPA, State Epidemiologist, Utah Department of Health, dated December 13, 1991, regarding investigation of a cluster of Legionella infections that occurred among employees at the Internal Revenue Service (IRS) Ogden Service Center.

11-15. Inspection Report #110496320. Legionnaire's disease.

11-16. Memorandum from Byron R. Chadwick, Regional Administrator, Region VIII, to Thomas Shepich, Director, Directorate of Technical Support, OSHA, dated November 27, 1991, regarding Update--Legionellosis Outbreak.

11-17. Indoor Air Quality Evaluation of Insurance-Exchange Building, Chicago, Illinois. Salt Lake Technical Center. March 1992.

2046395537

Source: https://www.industrydocuments.ucsf.edu/docs/ltwl0000

ATTACHMENT VI
Exhibit 11

11-18. Memorandum from Kevin Cummins, Lee Hathon, Health Response Team, SLTC, to Melissa McDiarmid, M.D., Office of Occupational Medicine, Directorate of Technical Support, dated April 27, 1992, regarding preliminary findings and recommendations.

11-19. Memorandum from Ed Zimowski, CIH, Senior Industrial Hygiene Engineer, and Dan Morton, Industrial Hygienists, Health Response Team, to Michael Connors, Regional Administrator, Region V and Arnis Anderson, Area Director, Toledo Area, dated December 4, 1990, regarding Legionella Investigation Report.

11-20. Memorandum from Robert A. Curtis, Director, Health Response Team, to R. Davis Layne, Regional Administrator, Region IV, Attention John Hall, Area Director, Birmingham, AL Area Office, dated September 24, 1993, regarding Legionella Investigation at Birmingham, Alabama.

11-21. American Society of Microbiology. Paszko-Kolva, C., M. Shahamat et al. Examination of Dental Units for the presence of *Legionella* species by the EnviroAmp Polymerase Chain Reaction (PCR). 94th ASM General Meeting, Friday Section, p. 326; Gray, R.T., J.I. Kelley and K.S. George. Biofilm Formation in Water Supply Lines of Dental Air-Water Syringes. 94th ASM General Meeting; and Letter to the Editor, Paszko-Kolva, C. Risk of Infection from Dental Handpieces. ASM News 57(6):?, 1991.

11-22. Building Science Corporation. Architects and Engineers Building Technology Consultants.

11-23. Haymore, Curtis and Rosemarie Odom. Economic Effects of Poor IAQ. EPA Journal pp. 28-31, October-December 1993.

11-24. Lstiburek, J.W. Indoor Air Quality in the Humid South. (Peer reviewed paper excerpted from the proceedings of Bugs, Mold and Rot II, Arlington, VA, November, 1993.)

11-25. Lee, P.N. Environmental Tobacco Smoke and Mortality. (Karger:New York)

11-26. Materials submitted to OSHA's Directorate of Health Standards Programs for review. Ft. Pierce Westwood High School (Florida).

20463958

Source: https://www.industrydocuments.ucsf.edu/docs/ltwl0000

ATTACHMENT VI
Exhibit 11

Air Quality Tests Results on Ft. Pierce Westwood High School (Florida)

A. Indoor Air Quality Diagnostics Report concerning the facilities of Westwood High School, Fort Pierce, Florida, prepared for Dr. Paul Phillips, Assistant Superintendent for Facilities, St. Lucie County Schools, by Honeywell Indoor Air Quality Diagnostics, Honeywell Plaza, Minneapolis, MN, prepared by Thomas A. Bosman, C.I.H., Senior Environmental Health and Safety Analyst, Honeywell Indoor Air Quality Diagnostics. May 27, 1992.

B. Letter from Robert L. Bear, P.E., Principal Engineer, and Robert W. Lea, P.E., Principal Engineer, Law Engineering Inc., to Ted Trenter, McCreary Corporation, dated July 17, 1992, subject: Report of Limited Air Quality Sampling, Westwood High School, Fort Pierce, Florida, Law Engineering Project Number: 549-90259.

C. Letter from Richard L. Lipsey, Ph.D., Toxicologist, Lipsey and Associates, Inc., to Evan I. Fetterman, Esquire, Fetterman and Associates, dated May 4, 1993, regarding Westwood High School environmental assessment.

D. Personal statement of Nancy Smith, Physical Education.

E. Personal statement of Jessie Gibson, Bookkeeper.

F. Personal statement of Julia S. Forbus, Occupational Specialist.

G. Personal statement of Suzanne Diaz.

H. Personal statement of Janet Green, Art Department.

I. Personal statement of Cathy Sockol, Attendance Clerk and Tamara Sockol, Student.

J. Personal statement of Curt Sheffer, Exceptional Education, (transferred to another school).

K. Ellis, David. Casualty of War. Rep. Steve Buyer--and perhaps 8,000 other Gulf War veterans--are fighting a mystery illness..

L. Duran, Sarah K. Air ducts repaired. Complaints at school prompt $60,000 job.

Source: https://www.industrydocuments.ucsf.edu/docs/ltwl0000

ATTACHMENT VI
Exhibit 11

M. Horgan, Daniel. Students worry about school's air.

N. Duran, Sarah K. Expert finds mold, bacteria throughout Westwood High.

O. Horgan, Daniel. Study criticizes school air quality.

P. Saitz, Greg. Westwood to undergo more tests.

Q. Agnew, B.J. Westwood air system inadequate.

R. Duran, Sarah K. Westwood air quality debated. Is the air at Westwood High School likely to make you sick? It, depends who you ask.

S. The Associated Press. Test planned for suspected 'sick' school.

T. Ryan, Laura T. Jurors concerned about courthouse; and Smith, Cheryl. Courthouse worker fears for her health.

U. Moore, Pat. Expert: Court staff has signs of lung disease.

V. Moore, Pat. Fungi could cause cancer, latest courthouse report says.

W. Gienger, V. Parents of 8 Crestwood students cite health, seek transfers.

X. The Associated Press. "Sick" school in Pinellas shuts down.

Y. Moore, Pat and Carolyn Fretz. Martin to evacuate buildings. Employees to leave 'sick' courthouse.

Z. Questionnaire. Are You Feeling Ill When You Are At School? We Want To Know! We Want To Help!.

11-27. Letter from Vernice Davis Anthony, Director, Department of Public Health, State of Michigan, to Kenneth L. McGinnis, Director, Department of Corrections, dated April 13, 1994, regarding final report on the outbreak of Legionnaires' disease at the Jackson Prison complex.

2046395540

Source: https://www.industrydocuments.ucsf.edu/docs/ltwl0000

ATTACHMENT VI
Exhibit 11

11-28. Letter from Fred F. Fenn, Commander, VFW Post 1038, Lyndonville, VT, to OSHA, dated June 24, 1994, concerning pendin legislation as detailed in H.R. 3434 sponsored by Senator Waxman of California.

11-29. NIOSH. Health Hazard Evaluation Report. Western Primary School, Russiaville, IN. HETA 91-143-2136. September 1991.

11-30. NIOSH. Health Hazard Evaluation Report. Bethlehem-Center Elementary School, Fredericktown, PA. HETA 91-188-2205. April 1992.

11-31. NIOSH. Health Hazard Evaluation Report. Cocalico School District, Denver, PA. HETA 91-118-2213. May 1992.

11-32. NIOSH. Health Hazard Evaluation Report. Sporting Hill Elementary, Mechanicsburg, PA. HETA 91-191-2217. May 1992.

11-33. NIOSH. Health Hazard Evaluation Report. Western Primary School, Russiaville, IN. HETA 92-107-2227. June 1992.

11-34. NIOSH. Health Hazard Evaluation Report. Montpelier High School, Montpelier, VT. HETA 92-108-2247. August 1992.

11-35. NIOSH. Tri-County North School, Lewisburg, OH. HETA 92-011-2309. April 1993.

11-36. NIOSH. Kingwood Elementary School, Kingwood, WV. HETA 92-0362-2385. January 1994.

11-37. NIOSH. Tri-County North School, Lewisburg, OH. HETA 94-0129-2397. March 1994.

11-38. NIOSH. Office of Employment Security, Beaver Falls, PA. HETA 88-274-1924. September 1988.

11-39. NIOSH. Ohio State Auditors Office, Sharonville, OH. HETA 92-180-2246. August 1992.

11-40. NIOSH. Vermont Department of Agriculture, Montpelier, VT. HETA 92-165-2251. August 1992.

11-41. NIOSH. Social Security Administration District Office, Colorado Springs, CO. HETA 91-351-2252. September 1992.

11-42. NIOSH. Otis Elevator Company, Alexandria, VA. HETA 92-350-2292. February 1993.

2046395541

Source: https://www.industrydocuments.ucsf.edu/docs/ltwl0000

ATTACHMENT VI
Exhibit 11

11-43. NIOSH. Dupage County Judicial Office Facility, Wheaton, IL. HETA 92-380-2302.

11-44. NIOSH. Loral Command and Control, Colorado Springs, CO. HETA 92-106-2313. May 1993.

11-45. NIOSH. Pennsylvania Department of Revenue, Harrisburg, PA. HETA 92-166-2318. May 1993.

11-46. NIOSH. Washington Metropolitan Area Transit Authority, Washington, DC. HETA 92-0316-2339. August 1993.

11-47. NIOSH. US West, Omaha, NE. HETA 92-0373. December 15-16, 1992.

11-48. NIOSH. New Jersey Bell Telephone Company, Ewing New Jersey Residence Service Center, Trenton, NJ. HHE 90 90-191. July 5, 1990.

1-49. NIOSH. Equal Employment Opportunity Commission (EEOC) Cleveland District Office, Cleveland, OH. HETA 91-017. May 2, 1991.

11-50. NIOSH. American Psychological Association, Washington, DC. HETA 92-356. March 17, 1993.

11-51. NIOSH. Nabinger, S.J., A.K. Persily and W.S. Dole. A Study of Ventilation and Carbon Dioxide in an Office Building. OR-94-22-2.

11-52. Glantz, Stanton A. and Lisa R.A. Smith. The Effects of Ordinances Requiring Smokefree Restaurants on Restaurants Sales. Institute for Health Policy Studies, Department of Medicine, University of California, San Francisco. February 1994 Update.

11-53. Tobacco Heir R.J. Reynolds III Dies of Emphysema at Age 60. The Washington Post, p. C6, Wednesday, July 13, 1994.

11-54. Burton, D.J. Industrial Ventilation Work Book. Revised Second Edition. (IVE, Inc.: Salt Lake City, UT), 1991.

11-55. Persily, Andrew K. Manual for Ventilation Assessment in Mechnically Ventilated Commercial Buildings. United States Department of Commerce, Technology Administration, National Institute of Standards and Technology. NISTIR 5329. January 1994.

2046395542

Source: https://www.industrydocuments.ucsf.edu/docs/ltwl0000

ATTACHMENT VI
Exhibit 11

11-56. Barlow, Jane F. Multiple Chemical Sensitivity.

11-57. Sullum, J. Passive Reporting on Passive Smoke. Mediacritic, pp. 41-47.

11-58. Lierberman, E., I. Gremy, J.M. Lang and A.P. Cohen. Low Birthweight at Term and the Timing of Fetal Exposure to Maternal Smoking. AJPH 84(7):1127-1131, 1994.

11-59. Patrick, D.L., A. Cheadle, D.C. Thompson et al. The Validity of Self-Reported Smoking: A Review and Meta-Analysis. AJPH 84(7):1086-1093, 1994.

11-60. Glantz, S.A. and L.R.A. Smith. The Effect of Ordinances Requiring Smoke-Free Restaurants on Restaurant Sales. AJPH 84(7):1081-1085, 1994.

11-61. Memorandum from Bill Borwegen, SEIU Health and Safety Director, dated April 29, 1994, regarding defeat of Washington State IAQ Regulations.

-62. Abrams, R., J.L. Amestoy, R. Blumenthal and T.R. Kulongoski. Carpets and Indoor Air: What You Should Know. June 1993.

11-63. Eudy, L.W., F.A. Thome, D.L. Heavner, C.R. Green and B.J. Ingebrethsen. R.J. Reynolds Tobacco Company, Winston-Salem, NC. For Presentation at the 79th Annual Meeting of the Air Pollution Control Association, Minneapolis, MN, June 22-27, 1986.

11-64. Browne, C.L., C.H. Keith and R.E. Allen. The Effect of Filter Ventilation on the Yield and Composition of Mainstream and Sidestream Smokes. Beiträge zur Tabakforschund International 10(2):81-90, 1980.

11-65. Heuser, G. *Editorial*: Diagnostic Markers in Clinical Immunotoxicology and Neurotoxicology. J. Occup. Med. Tox. 1(4):v-x, 1992.

11-66. Heuser, G., I. Mena et al. Neurospect Findings in Patients (PTS) Exposed to Neurotoxic Chemicals. Clinical Nuclear Medicine Vol. ?, Number ?, p. 923, October 1993.

11-67. CV - Gunnar Heuser, M.D., Ph.D., F.A.C.P.

2046395543

Source: https://www.industrydocuments.ucsf.edu/docs/ltwl0000

ATTACHMENT VI
Exhibit 11

11-68. Bright, P.D., M.J. Mader, D.R. Carpenter and I.Z. Hermon-Cruz. Guide for Indoor Air Quality Surveys. Occupational and Environmental Health Directorte, Armstrong Labortory, Air Force Systems Command, Brooks Air Force Base, TX 78235-5000. May 1992.

11-69. Woods, J.E. Air Quality. pp. 137-149.

11-70. Department of Defense Instruction. Number 1010.15. Subject: Smoke-Free Workplace. March 7, 1994.

11-71. Letter from Stanton A. Glantz, Professor of Medicine, Cardiology Division, University of California, San Francisco, dated June 30, 1994, regarding 29 CFR parts 1910, 1915, 1926, 1928: Indoor air quality; proposed rule dated Tuesday, April 5, 1994.

11-72. Bero, L.A. and S.A. Glantz. Tobacco industry response to a risk assessment of environmental tobacco smoke. Tobacco Control 2:103-113, 1993.

11-73. Bero, L.A., S.A. Glantz and D. Rennie. Publication Bias and Public Health Policy on Environmental Tobacco Smoke. JAMA 272(2):133-136, 1994.

11-74. Support for the Smoke-Free Air Act (Intro. 232). Smokefree Educational Services, Inc. June 1994.

11-75. Statement of Mary Lamielle, President, National Center for Environmental Health Strategies before the Institute of Medicine, Committee to Review Health Consequences of Service during the Persian Gulf War. February 28, 1994.

11-76. The Delicate Balance. Special Issue for the Attendees of the Conference on Low Level Exposure to Chemicals and Neurobiologic Sensitivity. Vol. V, Nos. 3-4, pp. 1-62, Fall/Winter 1993-1994.

11-77. Miller, Claudia S. Chemical Sensitivity: History and Phenomenology. Environmental and Occupational Medicine, Department of Family Practice, The University of Texas Health Science Center at San Antonio.

11-78. Memorandum from Linda Morgan, Oak Ridge National Laboratory,to Dr. James Repace, dated February 8, 1994, re: Manuscript 93-147, "Indoor Air Quality Standard Setting -- A Lesson in the Need for Objectivity."

2046395544

Source: https://www.industrydocuments.ucsf.edu/docs/ltwl0000

ATTACHMENT VI
Exhibit 11

11-79. Holcomb, Larry C. Suggested Indoor Air Quality Standard for Environmental Tobacco Smoke Based on Faulty Data. Holcomb Environmental Services. Letter to the Editor at Risk Analysis, paper #93-156.

11-80. Repace, James L. and Alfred H. Howery. A Rebuttal to Tobacco Industry Criticism of "An Enforceable Indoor Air Quality Standard for Environmental Tobacco Smoke..." Risk Analysis, paper 94-066.

11-81. Tentative agenda. Neuroscience meeting April 6-7, 1994. Two papers entitled "Neuropsychiatric Aspects of Sensitivity to Low Level Chemicals: A Neural Sensitization Model by Iris R. Bell, M.D., Ph.D., Department of Psychiatry, University of Arizona Health Sciences Center and Tucson Veterans Affairs Medical Center, Tucson; and "Chemical Sensitivity: History and Phenomenology" by Claudia S. Miller, M.D., M.S., Assistant Professor, Environmental and Occupational Medicine, Department of Family Practice, The University of Texas Health Science Center at San Antonio. Also included a list of Speakers at the Neuroscience Meeting held April 6-7, 1994.

11-82. "Jury Awards $950,000 in EPA Headquarters Building Lawsuit." Indoor Air Bulletin 3(2):11-12.

11-83. Memorandum to Docket regarding meeting held on July 25, with Building Owners and Managers Association International (BOMA).

11-84. Memorandum to Docket regarding meeting held on June 29, with Building Owners and Managers Association International (BOMA).

11-85. Memorandum to Docket regarding meeting held on June 17, with the Business Council on Indoor Air.

11-86. Letter from S. Kimberly Belshé, Director, Department of Health Services, State of California, dated July 18, 1994, making available a copy of a recently released report entitled "Tobacco Use in California - an Evaluation of the Tobacco Control Program 1989-93," with Executive Summary.

11-87. Greising, D. Where There's Secondhand Smoke..." Business Week pp. 43-44, August 8, 1994.

2046395545

Source: https://www.industrydocuments.ucsf.edu/docs/ltwl0000